



# **753 Request for Routing Instructions**

**(Inbound to Bealls)**

**X12/V5010/753: 753 Request for Routing Instructions**

**Version: 1.0 Final**

<b>Company:</b>	<b>Bealls Inc.</b>
<b>Publication:</b>	<b>4/2/2025</b>
<b>Trading Partner:</b>	<b>Suppliers</b>

# 753

## Request for Routing Instructions

### Functional Group=RF

**Purpose:** This X12 Transaction Set contains the format and establishes the data contents of the Request for Routing Instructions Transaction Set (753) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to request routing instructions and provide general information about merchandise that is ready to be shipped.

#### Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	ST	Transaction Set Header	M	1			Must use
0200	BGN	Beginning Segment	M	1			Must use
0300	PER	Administrative Communications Contact	O	1			Must use
<b>LOOP ID - 0100</b>					<b>1</b>	<b>N1/0400L</b>	
0400	N1	Party Identification	M	1			Must use
0600	N3	Party Location	O	2			Must use
0700	N4	Geographic Location	O	1			Must use

#### Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	LX	Transaction Set Line Number	M	1			Must use
<b>LOOP ID - 0200</b>					<b>9999</b>	<b>N2/0200L</b>	
0200	N1	Party Identification	M	1			Must use
0700	G62	Date/Time	O	2			Must use
<b>LOOP ID - 0210</b>					<b>&gt;1</b>	<b>N2/0900L</b>	
0900	OID	Order Information Detail	M	1			Must use
1100	SE	Transaction Set Trailer	M	1			Must use

# ST Transaction Set Header

Pos: 0100	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use
<b>Description:</b> Code uniquely identifying a Transaction Set						
		<u>Code</u>		<u>Name</u>		
		753		Request for Routing Instructions		
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						

# BGN Beginning Segment

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 4

**User Option (Usage):** Must use

**Purpose:** To indicate the beginning of a transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGN01	353	<b>Transaction Set Purpose Code</b>	M	ID	2/2	Must use
<b>Description:</b> Code identifying purpose of transaction set						
		<u>Code</u>	<u>Name</u>			
		00	Original			
		01	Cancellation			
		05	Replace			
BGN02	127	<b>Reference Identification</b>	M	AN	1/50	Must use
<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier						
BGN03	373	<b>Date</b>	M	DT	8/8	Must use
<b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year						
BGN04	337	<b>Time</b>	X	TM	4/4	Must use
<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM						

# PER Administrative Communications Contact

Pos: 0300	Max: 1
Heading - Optional	
Loop: N/A	Elements: 6

**User Option (Usage):** Must use

**Purpose:** To identify a person or office to whom administrative communications should be directed

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PER01	366	<b>Contact Function Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying the major duty or responsibility of the person or group named				
		<u>Code</u>		<u>Name</u>		
		IC		Information Contact		
PER02	93	<b>Name</b>	O	AN	1/60	Must use
		<b>Description:</b> Free-form name				
PER03	365	<b>Communication Number Qualifier</b>	X	ID	2/2	Used
		<b>Description:</b> Code identifying the type of communication number				
		<u>Code</u>		<u>Name</u>		
		TE		Telephone		
PER04	364	<b>Communication Number</b>	X	AN	1/256	Used
		<b>Description:</b> Complete communications number including country or area code when applicable				
PER05	365	<b>Communication Number Qualifier</b>	X	ID	2/2	Must use
		<b>Description:</b> Code identifying the type of communication number				
		<u>Code</u>		<u>Name</u>		
		EM		Electronic Mail		
PER06	364	<b>Communication Number</b>	X	AN	1/256	Must use
		<b>Description:</b> Complete communications number including country or area code when applicable				

# Loop Party Identification

Pos: 0400      Repeat: 1  
 Mandatory  
 Loop: 0100 Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0400	N1	Party Identification	M	1		Must use
0600	N3	Party Location	O	2		Must use
0700	N4	Geographic Location	O	1		Must use

# N1 Party Identification

Pos: 0400                      Max: 1  
 Heading - Mandatory  
 Loop: 0100                  Elements: 4

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use

**Description:** Code identifying an organizational entity, a physical location, property or an individual

<u>Code</u>	<u>Name</u>
SF	Ship From

N102	93	<b>Name</b>	X	AN	1/60	Must use
------	----	-------------	---	----	------	----------

**Description:** Free-form name

N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Must use
------	----	--------------------------------------	---	----	-----	----------

**Description:** Code designating the system/method of code structure used for Identification Code (67)

<u>Code</u>	<u>Name</u>
92	Assigned by Buyer or Buyer's Agent

N104	67	<b>Identification Code</b>	X	AN	2/80	Must use
------	----	----------------------------	---	----	------	----------

**Description:** Code identifying a party or other code

**Bealls Usage Note:**  
*Bealls Supplier Site Number*

# N3 Party Location

Pos: 0600	Max: 2
Heading - Optional	
Loop: 0100	Elements: 2

**User Option (Usage):** Must use  
**Purpose:** To specify the location of the named party

**Element Summary:**

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	<b>Address Information</b>	M	AN	1/55	Must use
		<b>Description:</b> Address information				
N302	166	<b>Address Information</b>	O	AN	1/55	Used
		<b>Description:</b> Address information				

# N4 Geographic Location

Pos: 0700	Max: 1
Heading - Optional	
Loop: 0100	Elements: 4

**User Option (Usage):** Must use

**Purpose:** To specify the geographic place of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	O	AN	2/30	Must use
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	X	ID	2/2	Must use
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	O	ID	3/15	Must use
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	<b>Country Code</b>	X	ID	2/3	Used
		<b>Description:</b> Code identifying the country				

# LX

## Transaction Set Line Number

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: N/A	Elements: 1

**User Option (Usage):** Must use

**Purpose:** To reference a line number in a transaction set

### Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LX01	554	Assigned Number	M	NO	1/6	Must use

**Description:** Number assigned for differentiation within a transaction set

# Loop Party Identification

Pos: 0200    Repeat: 9999  
 Mandatory  
 Loop: 0200    Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0200	N1	Party Identification	M	1		Must use
0700	G62	Date/Time	O	2		Must use
0900		Loop 0210	M		>1	Must use

# N1 Party Identification

Pos: 0200	Max: 1
Detail - Mandatory	
Loop: 0200	Elements: 3

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

**Description:** Code identifying an organizational entity, a physical location, property or an individual

<u>Code</u>	<u>Name</u>
ST	Ship To

N103	66	Identification Code Qualifier	X	ID	1/2	Must use
------	----	-------------------------------	---	----	-----	----------

**Description:** Code designating the system/method of code structure used for Identification Code (67)

<u>Code</u>	<u>Name</u>
92	Assigned by Buyer or Buyer's Agent

N104	67	Identification Code	X	AN	2/80	Must use
------	----	---------------------	---	----	------	----------

**Description:** Code identifying a party or other code

# G62 Date/Time

Pos: 0700	Max: 2
Detail - Optional	
Loop: 0200	Elements: 4

**User Option (Usage):** Must use  
**Purpose:** To specify pertinent dates and times

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6201	432	<b>Date Qualifier</b>	X	ID	2/2	Must use
		<b>Description:</b> Code specifying type of date				
		<u>Code</u>		<u>Name</u>		
		RS		Ready to Ship		
G6202	373	<b>Date</b>	X	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year				
G6203	176	<b>Time Qualifier</b>	X	ID	1/2	Must use
		<b>Description:</b> Code specifying the reported time				
		<u>Code</u>		<u>Name</u>		
		RS		Ready to Ship		
G6204	337	<b>Time</b>	X	TM	4/4	Must use
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM				

# Loop Order Information Detail

Pos: 0900	Repeat: >1
Mandatory	
Loop: 0210	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To specify order information detail

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
0900	OID	Order Information Detail	M	1		Must use

# OID Order Information Detail

Pos: 0900	Max: 1
Detail - Mandatory	
Loop: 0210	Elements: 9

**User Option (Usage):** Must use  
**Purpose:** To specify order information detail

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
OID01	127	Reference Identification	X	AN	1/50	Must use

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**Bealls Usage Note:**

*Free form Pallet Stackable (Y/N) and Pallet Dimension L x W x H*

OID02	324	Purchase Order Number	X	AN	1/22	Must use
-------	-----	-----------------------	---	----	------	----------

**Description:** Identifying number for Purchase Order assigned by the orderer/purchaser

OID04	211	Packaging Form Code	X	ID	3/3	Must use
-------	-----	---------------------	---	----	-----	----------

**Description:** Code for packaging form of the lading quantity

<u>Code</u>	<u>Name</u>
CTN	Carton
PLT	Pallet
UNT	Unit

OID05	380	Quantity	X	R	1/15	Must use
-------	-----	----------	---	---	------	----------

**Description:** Numeric value of quantity

OID06	188	Weight Unit Code	X	ID	1/1	Must use
-------	-----	------------------	---	----	-----	----------

**Description:** Code specifying the weight unit

<u>Code</u>	<u>Name</u>
L	Pounds

OID07	81	Weight	X	R	1/10	Must use
-------	----	--------	---	---	------	----------

**Description:** Numeric value of weight

**Bealls Usage Note:**

*Total weight of PO.*

OID08	184	Volume Unit Qualifier	X	ID	1/1	Must use
-------	-----	-----------------------	---	----	-----	----------

**Description:** Code identifying the volume unit

<u>Code</u>	<u>Name</u>
E	Cubic Feet

OID09	183	Volume	X	R	1/8	Must use
-------	-----	--------	---	---	-----	----------

**Description:** Value of volumetric measure

**Bealls Usage Note:**

*Cubic Feet of PO.*

OID11	127	Reference Identification	O	AN	1/50	Must use
-------	-----	--------------------------	---	----	------	----------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**Bealls Usage Note:**

*Must use FLOOR LOADED Y/N and HAZMAT Y/N.*

*Example:*

*OID\*Stackable: Y 48X48X48\*1562017\*\*PLT\*1\*L\*5500.9\*E\*800.39\*\*FLOOR LOADED: Y HAZMAT: N-*

# SE Transaction Set Trailer

Pos: 1100	Max: 1
Detail - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	NO	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				